PRINTED: 06/14/2012 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
005099		005099		B. WING		04/12/2012	
NAME OF PROVIDER OR SUPPLIER			STREET ADD	RESS, CITY, STA	ATE, ZIP CODE	•	
COLUMBUS REGIONAL HOSPITAL			2400 E 17TH ST COLUMBUS, IN 47201				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FU REGULATORY OR LSC IDENTIFYING INFORMATION			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
S 000	0 INITIAL COMMENTS			S 000			
	This visit was for the investigation of one (1) State complaint.						
	Complaint number: IN00100329 Unsubstantiated: lack of sufficient evidence						
	Date of survey: 4-12-12						
	Facility number: 005099						
	Surveyor: Jennifer Hembree, RN Public Health Nurse Surveyor						
	Columbus Regional Hospital is in compliance with 410 IAC 15-1.5-5, Medical staff and 410 IAC 15-1.5-10, Utilization review and discharge planning services, Hospital Licensure Rules.						
	QA: claughlin 05/01/	12					

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE